



MICROCOPY RESOLUTION TEST CHART

LIPSCHITZ PROPERTIES OF SOLUTION IN MATHEMATICAL PROGRAMMING

bу

Bernard Cornet and Guy Laroque

Technical Report No. 369
August, 1982



A REPORT OF THE
CENTER FOR RESEARCH ON ORGANIZATIONAL EFFICIENCY
STANFORD UNIVERSITY

Contract ONR-NOO014-79-C-0685, United States Office of Naval Research

THE ECONOMICS SERIES

INSTITUTE FOR MATHEMATICAL STUDIES IN THE SOCIAL SCIENCES
Fourth Floor, Encina Hall
Stanford University
Stanford, California
94035

DISTRIBUTION STATEMENT A

Approved for public releases Distribution Unlimited

LIPSCHITZ PROPERTIES OF SOLUTION

IN MATHEMATICAL PROGRAMMING *

Ъу

Bernard Cornet and Guy Laroque

1. Introduction

Let U be an open subset of \mathbb{R}^k , V an open subset of \mathbb{R}^l , f, g_i , $i=1,\ldots,m$, be mappings from $U\times V$ to \mathbb{R} and C be a nonempty closed convex subset of \mathbb{R}^m . For $p=(P_i)$, $g=(g_i)$ in \mathbb{R}^m , we denote by $\langle p,q\rangle = \sum\limits_{i=1}^m p_i q_i$ the scalar product of \mathbb{R}^m and $||p|| = \sqrt{\langle p,q\rangle}$ the Euclidean norm. For a fixed α in V, we consider the following nonlinear programming problem:

(1.1) Find a local minimum of f(x,a) subject to $g(x,a) \in C$ and $x \in U$,

where $g(x,\alpha) = (g_1(x,\alpha), \dots, g_m(x,\alpha))$ and x is the variable of the problem.

Assume that the mappings f and g_i , i=1,...,m are differentiable with respect to the first variable. We denote by $Df(x,\alpha)$, $Dg_i(x,\alpha)$, i=1,...,m the gradient with respect to x. In this paper, we also consider the following "generalized equation" or "variational inequality" in the unknowns x and λ , which is a necessary condition satisfied by any solution of (1.1) under a constraint qualification assumption:



des

^{*} This research was sponsored by Office of Naval Research Contract N00014-79-C-0685 at the Institute for Mathematical Studies in the Social Sciences, Stanford University.

(1.2)
$$\begin{cases} Df(x,\alpha) + \sum_{i=1}^{m} \lambda_i Dg_i(x,\alpha) = 0 \\ \lambda = (\lambda_i) \in N(C,g(x,\alpha)) \end{cases}$$

where $\lambda = (\lambda_1)$ is a vector of \mathbb{R}^m , and N(C,p) denotes the normal cone to C at p:

$$N(C,p) = \begin{cases} \{\lambda \in \mathbb{R}^m \mid \langle \lambda, p \rangle \ge \langle \lambda, p \rangle \text{ for all } q \text{ in } C\} \text{ if } p \in C \\ \phi \text{ if } p \notin C \end{cases}$$

In the particular case of equality and/or inequality constraints, i.e., $C = \{0\}^m 1 \times \mathbb{R}_+^{m_2}$, $m = m_1 + m_2$, the system (1.2) reduces exactly to the Kuhn-Tucker necessary conditions:

(1.3)
$$\begin{cases} Df(x,\alpha) + \sum_{i=1}^{m} \lambda_{i} Dg_{i}(x,\alpha) = 0, \\ g_{i}(x,\alpha) = 0, & i = 1, ..., m_{1}, \\ g_{i}(x,\alpha) \geq 0, & \lambda_{i} \geq 0, & \lambda_{i}g_{i}(x,\alpha) = 0, & i = m_{1} + 1, ..., m \end{cases}$$

In this paper, we are concerned with the behaviour of the solutions of problems (1.1), (1.2), (1.3) and also with the Lipschitzian dependence of the set of solutions with respect to the parameter a. The paper is organized as follows. In Section 2, we state the main theorems of the paper, Sufficient conditions are given to have (1) local uniqueness of solutions of (1.1) and (1.2) or (1.3) and (1.1) Lipschitzian dependence of the solution with respect to the parameter a. The proofs of the theorems are given in Section 3 meet 1.1c.

The main tool, in this analysis, is an implicit function theorem for Lipschitzian mappings due to Clarke [1976] (see also Hiriart-Urruty) [1978]). The main idea is to write the generalized equation (1.2) or (1.3) as a system of Lipschitzian mapping, to which Clarke's implicit function theorem can be applied. The notion of generalized derivative of the projection mapping on a convex are of particular use.

We end the introduction by indicating briefly the link between this paper and others written previously. The standard implicitfunction theorem was used by Fiacco-McCormick [1968], Fiacco [1976] and Robinson [1974] to analyse the sensitivity of perturbed nonlinear programming problems under stronger assumptions than those used in this paper. A general implicit function theorem has been proved by Robinson [1980] for "generalized equation". Applications are given by him to the sensitivity analysis in the case of equality and/or inequality constraints. This corresponds essentially to the results obtained on equation (1.3). The present paper, which generalizes a previous result of the authors (ses also Cornet [1981]) in the case of equality and/or inequality constraints, uses a different technique than the papers quoted above. Another approach for this problem in the convex case is due to Aubin [1981], who uses a different version of the implicit function theorem for convex processes. His result can be derived from ours. Finally we mention the work of Levitin [1975], who has made an analysis of the Lipschitz dependence of the solution of a mathematical programming problem without the use of implicit function theorem.

2. Statement of the Theorems

We posit the following assumption, which describes the general framework of the paper:

Assumption (A.1):

- (i) U is an open subset of \mathbb{R}^k , V an open subset of \mathbb{R} , C a nonempty closed subset of \mathbb{R}^m .
- (ii) For all α in V, the mappings $f(\cdot,\alpha)\colon U\to \mathbb{R}^m$ and $g_i(\cdot,\alpha)\colon U\to \mathbb{R}$, $i=1,\ldots,m$ are twice consinuously differentiable.
- (iii) The mappings $g_i(\cdot,\cdot)$: $U \times V \to \mathbb{R}$, $Dg_i(\cdot,\cdot)$: $U \times V \to \mathbb{R}^k$, i = 1,...,m and $Df(\cdot,\cdot)$: $U \times V \to \mathbb{R}^k$ are Lipschitzian.

Here, and in the following, we denote by D the operator of differentiation with respect to the first variable x. Without risk of confusion, $Df(x,\alpha)$ will denote, according to the context, either the linear mapping from \mathbb{R}^k to \mathbb{R} or a vector of \mathbb{R}^k . Similarly, $D^2f(x,\alpha)$ will denote either the linear mapping from \mathbb{R}^k into \mathbb{R}^k , or the matrix of second derivatives of f.

Let $(\bar{x},\bar{\alpha},\bar{\lambda})$ in $U\times V\times {\rm I\!R}^m$. We introduce the two following assumptions:

Assumption (A.2): The vectors $Dg_{\mathbf{i}}(\bar{\mathbf{x}},\bar{\alpha})$ $\mathbf{i}=1,\ldots,m$ are linearly independent.

Assumption (A.3): For all h in \mathbb{R}^k , h \neq 0, such that $\langle Df(\bar{x},\bar{a}),h \rangle = 0$, then

$$\langle (D^2 f(\bar{x}, \bar{\alpha}) + \sum_{i=1}^{m} \bar{\lambda}_i D^2 g_i(\bar{x}, \bar{\alpha}))h, h \rangle \rangle 0$$
.

The main theorem of the paper deals with the solution of the system (1.2) when the parameter $\bar{\alpha}$ is slightly perturbed:

Theorem 2.1: Under Assumption (A.1), let $(\bar{x}, \bar{\lambda})$ in $U \times \mathbb{R}^k$ satisfy the system of equations (1.2) for $\alpha = \bar{\alpha}$ in V. Assume furthermore that $(\bar{x}, \bar{\alpha}, \bar{\lambda})$ satisfy (A.2) and (A.3).

Then there exist open neighborhoods U_1 of \bar{x} in U, V_1 of $\bar{\alpha}$ in V, W_1 of $\bar{\lambda}$ in \mathbb{R}^m , and mappings $x(\cdot)\colon V_1 + U_1$, $\lambda(\cdot)\colon V_1 + W_1$ such that:

- (i) the mappings $x(\cdot)$ and $\lambda(\cdot)$ are Lipschitzian;
- (ii) $x(\overline{\alpha}) = \overline{x}, \lambda(\overline{\alpha}) = \overline{\lambda};$
- (iii) for all α in $V_1^{},\;(x(\alpha),\lambda(\alpha))$ is the unique solution in $U_1^{}\times W_1^{}$ of equation (1.2) at $\alpha.$

In the case of equality and/or inequality constraints, we are able to weaken assumptions (A.2) and (A.3), getting the strong order conditions of Robinson ([1980], pp. 54-55).

As before, let $(\bar{x}, \bar{\alpha}, \bar{\lambda})$ in $U \times V \times \mathbb{R}^m$.

Assumption (A.2 bis): The vectors $Dg_{i}(\bar{x},\bar{a})$ for all $i=1,\ldots,m$ such that $g_{i}(\bar{x},\bar{a})=0$ are linearly independent.

Assumption (A.3 bis): For all h in \mathbb{R}^k , h $\neq 0$, such that

$$\begin{cases} \langle \operatorname{Dg}_{\mathbf{i}}(\bar{\mathbf{x}}, \bar{\alpha}), h \rangle = 0 & \text{i = 1,...,m} \\ \\ \langle \bar{\lambda}_{\mathbf{i}} \operatorname{Dg}_{\mathbf{i}}(\bar{\mathbf{x}}, \bar{\alpha}), h \rangle = 0 & \text{for all i = m}_{\mathbf{i}} + 1,...,m \\ & \text{such that } g_{\mathbf{i}}(\bar{\mathbf{x}}, \bar{\alpha}) = 0 \end{cases}.$$

Then,

$$\langle (D^2 f(\bar{x}, \bar{\alpha}) + \sum_{i=1}^m \bar{\lambda}_i D^2 g_i(\bar{x}, \bar{\alpha}) h, h \rangle \rangle 0$$
.

Note that (A.3) is more restrictive than (A.3 bis), when the first order condition $\mathrm{Df}(\bar{x},\bar{\alpha})+\sum\limits_{i=1}^m \bar{\lambda}_i \mathrm{Dg}_i(\bar{x},\bar{\alpha})=0$ holds. Note also that the constraints bearing on h for $i=m_1+1,\ldots,m$ are not restrictive when $\bar{\lambda}_i=0$.

Theorem 2.2: Under Assumption (A.1), let $(\bar{x}, \bar{\lambda})$ in $U \times \mathbb{R}^k$ satisfy the system of equations (1.3) for $\alpha = \bar{\alpha}$ in V. Assume furthermore that $(\bar{x}, \bar{\alpha}, \bar{\lambda})$ satisfy (A.2 bis) and (A.3 bis).

Then there exist open neighborhoods U_1 of \bar{x} in U, V_1 of $\bar{\alpha}$ in V, W_1 of $\bar{\lambda}$ in \mathbb{R}^m , and mappings $x(\cdot)\colon V_1 \to U_1$, $\lambda(\cdot)\colon V_1 \to W_1$ such that

- (i) the mappings $x(\cdot)$ and $\lambda(\cdot)$ are Lipschitzian;
- (ii) $x(\bar{\alpha}) = \bar{x}, \lambda(\bar{\alpha}) = \bar{\lambda};$
- (iii) for all α in $V^{}_1,\; (x(\alpha),\lambda(\alpha))$ is the unique solution in $U^{}_1\times W^{}_1$ of equation (1.3) at α .

Finally, we have to come back to the solution of the initial problem (1.1).

Corollary 2.3: Let \bar{x} in U be a solution of (1.1) at α in V. Assume that the second derivatives $D^2f(x,\alpha)$ and $D^2g_i(x,\alpha)$, $(i=1,\ldots,m)$, are continuous at $(\bar{x},\bar{\alpha})$.

Then, under the assumptions of Theorem 2.2 (respectively 2.2 in the case of equality and/or inequality constraints), there exist open neighborhoods U_2 of $\bar{\mathbf{x}}$ in U_1 , V_2 of $\bar{\mathbf{a}}$ in V_1 such that the mapping $\mathbf{x}(\cdot)$: $V_1 \rightarrow U_1$ defined in Theorem 2.1 (respectively 2.2), satisfies the following property:

For all α in V_2 , $x(\alpha)$ is the unique local minimum on U_2 of problem (1.1) at α .

3. Proofs

The idea behind the proof of Theorem 2.1 is to write the system (1.2), i.e., the first order necessary conditions, as a system of equations $\phi(x,\lambda,\alpha)=0$, where the unknown is the couple (x,λ) and ϕ is a locally Lipschitzian mapping. Then we shall get (x,λ) as a function of the parameter α through an implicit function theorem for Lipschitzian mappings which we recall hereafter.

We first recall some definitions. Following Clarke [1975], let ψ be a mapping from an open subset N of \mathbb{R}^n to \mathbb{R}^n and let \overline{y} be an element in N. We define the generalized derivative of ψ at \overline{y} in N denoted $\partial \psi(\overline{y})$, to be the convex hull of the set of matrices M of the form $M = \lim_{y \to \infty} D\psi(y^j)$, where y^j is a sequence in N converging to \overline{y} and ψ is differentiable at y^j , with derivative $D\psi(y^j)$. If ψ is locally Lipschitzian, then, by Rademacher's theorem, ψ is differentiable almost everywhere, and one easily shows that the set $\partial \psi(\overline{y})$ is nonempty, convex, and compact. It coincides with the derivative $D\psi(\overline{y})$, whenever ψ is continuously differentiable on a neighborhood of \overline{y} .

Now let Φ be a Lipschitzian mapping from an open subset of $\mathbb{R}^n \times \mathbb{R}^\ell$ to \mathbb{R}^n . We define the generalized partial derivative of Φ with respect to the first variable at the point $(\bar{y},\bar{\alpha})$, denoted by $\partial_y \Phi(\bar{y},\bar{\alpha})$, as the convex hull of the set of matrices M of the form $M = \lim_{j \to \infty} D_y \Phi(y^j,\alpha^j)$, where $\{y^j\}$, $\{\alpha^j\}$ are sequences in \mathbb{R}^n and \mathbb{R}^ℓ converging to \bar{y} and $\bar{\alpha}$ respectively, Φ is differentiable at (y^j,α^j) and $D_y \Phi(y^j,\alpha^j)$ denotes the usual partial Jacobian matrix with respect to the first variable y.

We now state the implicit function theorem for Lipschitzian mappings due to Clarke [1976] (see also Hiriart-Urruty [1978]).

Theorem 3.1: Let E, F be finite dimensional real vector spaces, let Ω be an open subset of $E \times F$ and let ϕ be a Lipschitzian mapping from Ω to E. We suppose that, at a point $(\bar{y},\bar{\alpha})$ in Ω , the generalized partial derivative $\partial_y \phi(\bar{y},\bar{\alpha})$ has maximal rank (in the sense that every matrix in $\partial_y \phi(\bar{y},\bar{\alpha})$ has maximal rank) and that $\phi(\bar{y},\bar{\alpha}) = 0$. Then, there exist open neighborhoods U of \bar{y} , V of $\bar{\alpha}$ and a Lipschitzian mapping f from V to U, such that:

- (i) $\bar{y} = f(\bar{\alpha})$
- (ii) for all α in V, $f(\alpha)$ is the unique element in U satisfying $\phi(f(\alpha),\alpha)=0$.

Before proceeding to the proof of Theorem 2.1, we need some further definitions, as well as two lemmas. Let C be a nonempty closed convex subset of \mathbb{R}^m and p an element of \mathbb{R}^m . We denote by

 π (p) the projection of p on C. We recall that π (p) is uniquely defined by one of the two equivalent assertions:

(3.2)
$$\pi(p) \in C$$
 and $||\pi(p) - p|| \le ||\pi(p) - q||$ for all q in C;

(3.3)
$$\pi(p) \in C$$
 and $\langle \pi(p) - p, \pi(p) - q \rangle \leq 0$ for all q in C.

Furthermore, the mapping $p \to \pi(p)$, from \mathbb{R}^m to \mathbb{R}^m is Lipschitzian of constant 1 (i.e., for all p, q in \mathbb{R}^m , $||\pi(p) - \pi(q)|| < ||p - q||$, see for example, Rockafellar [1970]).

Lemma 3.4: Let C be a nonempty, closed, convex subset of \mathbb{R}^m , π : $\mathbb{R} \to \mathbb{R}^m$ the projection mapping on C. Then, for every p in \mathbb{R}^m , and every h in \mathbb{R}^m .

- (i) $\langle \Delta h, h \Delta h \rangle \geq 0$ for every Δ in $\partial \pi(p)$;
- (ii) $\langle p \pi(p), \Delta h \rangle = 0$ for every Δ in $\partial \pi(p)$.

Proof:

(i) By (3.3), for all p, q in \mathbb{R}^m , $\langle p - \pi(p), \pi(q) - \pi(p) \rangle \leq 0$ and $\langle q - \pi(q), \pi(p) - \pi(q) \rangle \leq 0$. Summing up the two inequalities, taking q = p + th, for t > 0, in in \mathbb{R}^m , dividing by t^2 , we get:

(3.5)
$$\langle \frac{\pi(p+th)-\pi(p)}{t}, h \rangle \geq ||\frac{\pi(p+th-\pi(p))}{t}||^2$$
.

Let Δ in $\partial \pi(p)$. From the definition of $\partial \pi(p)$, there exist weights $W^i > 0$, $i = 1, \ldots, I$, $\sum_{i=1}^{I} W^i = 1$ and $(m \times m)$ matrices Δ^i , $i = 1, \ldots, I$ in $\partial \pi(p)$ such that $\Delta = \sum_{i=1}^{I} W^i \Delta^i$ and the Δ^i satisfy the following property. For all i, there exists a sequence $\{p^{i,j}\}$ in

 \mathbb{R}^{m} converging to p, such that the derivative $D\pi(p^{i,j})$ exists and $\Delta^{i} = \lim_{j \to \infty} D\pi(p^{i,j})$. Using (3.5) with $p = p^{i,j}$, when $t \to 0$, $j \to \infty$, we get at the limit, for all i = 1, ..., I:

$$<\Delta^{i}h, h> \geq ||\Delta^{i}h||^{2}$$
.

Using the fact that the mapping $p + ||p||^2$ is convex, we get:

$$||\Delta h||^2 - \langle \Delta h, h \rangle \leq \sum_{i=1}^{I} W^i(||\Delta^i h||^2 = \langle \Delta^i h, h \rangle) \leq 0$$
.

(ii) From (3.3), taking $q = \pi(p + th)$, h in \mathbb{R}^m , $t \neq 0$, dividing by t, we get:

$$\le 0 \text{ if } t > 0$$

$$\ge 0 \text{ if } t < 0$$
.

Thus, at a point p in \mathbb{R}^m where π is differentiable, when $t \to 0$ at the limit in the two above inequalities, we get:

$$= 0$$
.

Now let p be an arbitrary point in \mathbb{R}^m and let Δ be in $\partial \pi(p)$. Using the definition of $\partial \pi(p)$, as in the proof of the first part of the lemma, we get $\langle p - \pi(p), \Delta h \rangle = 0$. This ends the proof of Lemma 3.4.

Remark 3.5: When $C = \{0\}^{m_1} \times \mathbb{R}_+^{m_2}$ with $m_1 + m_2 = m$, it is easy to compute $\partial \pi(p)$ for all p in \mathbb{R}^m . Let $\Delta_{i,j}$ be the element of row i and column j of a $m \times m$ matrix. Then Δ belongs to $\partial \pi(p)$ if and only if:

Lemma 3.6: Let C be a nonempty, closed, convex subset of \mathbb{R}^m , let $\pi\colon \mathbb{R}^m \to \mathbb{R}^m$ be the projection mapping on C, let p be an element in C and λ be in \mathbb{R}^m . Then the following assertions are equivalent:

- (i) $\lambda \in N(C,p)$, i.e., $\langle \lambda,p \rangle \geq \langle \lambda,q \rangle$ for all q in C;
- (ii) there exists μ in \mathbb{R}^m such that $p=\pi(\mu)$ and $\lambda=\mu-\pi(\mu).$

<u>Proof:</u> (i) + (ii). Let $\lambda \in \mathbb{N}(C,p)$ and $\mu = \lambda + p$. It suffices to show that $p = \pi(\mu)$. Since λ belongs to $\mathbb{N}(C,p)$, for all q in C, $<\mu - p$, $q - p > \le 0$. By (3.3), we deduce $p = \pi(\mu)$. (ii) + (i): Let μ in \mathbb{R}^m with $p = \pi(\mu)$ and $\lambda = \mu - \pi(\mu)$. By (3.3), for all q in C, $<\pi(\mu) - \mu, \pi(\mu) - q > \le 0$. Therefore, for all q in C, $<\lambda,p> \ge <\lambda,q>$ and λ belongs to $\mathbb{N}(C,p)$.

This completes the proof of Lemma 3.6.

In order to prove Theorem 2.1, we modify the necessary conditions (1.2) by introducing an auxiliary variable μ .

Let (x,λ) be in $U \times \mathbb{R}^m$, α in V. From Lemma 3.6, (x,λ) satisfies the first order condition (1.2) at α :

(1.2)
$$\begin{cases} Df(x,\alpha) + \sum_{i=1}^{m} \lambda_i Dg_i(x,\alpha) = 0 \\ \lambda \in N(C,g(x,\alpha)) \end{cases}$$

if and only if there exists μ in \mathbb{R}^m such that (x,λ,μ) satisfies the system of equations:

(3.7)
$$\begin{cases} Df(x,\alpha) + \sum_{i=1}^{m} \lambda_i Dg_i(x,\alpha) = 0 \\ g(x,\alpha) - \pi(\mu) = 0 \\ g(x,\alpha) + \lambda - \mu = 0 \end{cases}$$

Let $y=(x,\lambda,\mu)$. We denote by $\phi(y,\alpha)$ the left-hand side of the system (3.7). ϕ is a mapping from an open subset of $\mathbb{R}^{k+2m}\times\mathbb{R}^{\ell}$ into \mathbb{R}^{k+2m} . Since the projection mapping π on C is Lipschitzian, ϕ is locally Lipschitzian.

Proof of Theorem 2.1: Let $\bar{\mu} = \bar{\lambda} + g(\bar{x}, \bar{\alpha})$, and $\bar{y} = (\bar{x}, \bar{\lambda}, \bar{\mu})$. By Clarke's implicit function theorem (Theorem 3.1), it suffices to prove that the generalized partial derivative $\partial_y \phi(\bar{y}, \bar{\alpha})$ is of maximal rank.

Let Δ be an arbitrary element in $\partial \pi(\bar{\mu})$. Then $\partial_{y} \phi(\bar{y}, \bar{\alpha})$ is made up of the matrices of the following form:

$$M = \begin{bmatrix} D^2 \mathbf{f}(\bar{\mathbf{x}}, \bar{\alpha}) + \sum_{i=1}^{m} \bar{\lambda}_i D^2 \mathbf{g}_i(\bar{\mathbf{x}}, \bar{\alpha}) & D \mathbf{g}(\bar{\mathbf{x}}, \bar{\alpha})^T & 0 \\ D \mathbf{g}(\bar{\mathbf{x}}, \bar{\alpha}) & 0 & -\Delta \\ D \mathbf{g}(\bar{\mathbf{x}}, \bar{\alpha}) & I_m & -I_m \end{bmatrix}$$

where $Dg(\bar{x},\bar{\alpha})$ denotes the m × k matrix of rows $Dg_{\underline{i}}(\bar{x},\bar{\alpha})$, i = 1,...,m, $Dg(\bar{x},\bar{\alpha})^T$ its transpose, and I_m the (m × m) identity matrix.

To show that M is of full rank, let there be vectors a in \mathbb{R}^k , b and c in \mathbb{R}^m such that:

$$(3.8) M \begin{bmatrix} a \\ b \\ c \end{bmatrix} = 0$$

It suffices to show that a = 0 and b = c = 0.

Replacing M by its value in (3.8), we get:

(3.9)
$$\begin{cases} D^2 f(\bar{x}, \bar{\alpha}) + \sum_{i=1}^{m} \bar{\lambda}_i D^2 g_i(\bar{x}, \bar{\alpha}) a + D g(\bar{x}, \bar{\alpha})^T b = 0 \\ D g(\bar{x}, \bar{\alpha}) a - \Delta c = 0 \\ D g(\bar{x}, \bar{\alpha}) a + b - c = 0 \end{cases}$$

Premultiplying the first equation by a , using the other ones and Lemma 3.4 (i), we get:

$$\mathbf{a}^{\mathrm{T}}[\mathbf{D}^{2}\mathbf{f}(\bar{\mathbf{x}},\bar{\alpha}) + \sum_{i=1}^{m} \bar{\lambda}_{i} \mathbf{D}^{2}\mathbf{g}_{i}(\bar{\mathbf{x}},\bar{\alpha})]\mathbf{a} = -\mathbf{a}^{\mathrm{T}}\mathbf{D}\mathbf{g}(\bar{\mathbf{x}},\bar{\alpha})^{\mathrm{T}}\mathbf{b}$$

$$= -\mathbf{b}^{\mathrm{T}}\Delta\mathbf{c}$$

$$= -(\mathbf{c} - \Delta\mathbf{c})^{\mathrm{T}}\Delta\mathbf{c} < 0 .$$

On the other hand, using the first order condition (2.2) and the above equations, we get:

$$Df(\bar{x},\bar{\alpha})a = -\bar{\lambda}^{T}Dg(\bar{x},\bar{\alpha})a = -\bar{\lambda}^{T}\Delta c$$

Since $\bar{\lambda} = \bar{\mu} - \pi(\bar{\mu})$ and Δ belongs to $\partial \pi(\bar{\mu})$, by Lemma (3.4) (ii), we obtain:

$$(3.10) Df(\bar{x},\bar{\alpha})a = 0 .$$

By Assumption (A.3) of Theorem 2.1, we get a = 0. The first line of (3.9) implies then $Dg(\bar{x},\bar{a})^Tb = 0$. Since by Assumption (A.2) the vectors $Dg_{\dot{1}}(\bar{x},\bar{a})$, $i=1,\ldots,m$ are independent, we have b=0. Thus, c=0. This ends the proof of Theorem 2.1.

Proof of Theorem 2.2: It follows the same line as that of Theorem 2.1. First note that we can ignore the constraints i in $\{m_1 + 1, ..., m\}$ such that $g_i(\bar{x}, \bar{\alpha}) > 0$. In fact, the continuity of the solution $x(\alpha)$ which we are looking for implies that these constraints will stay unbinding. The only difference lies then in the study of system (3.9) where Remark 3.5 and Assumption (A.3 bis) are used.

In fact, the second line in (3.9), using Remark 3.5, leads to:

$$Dg_i(\bar{x},\bar{\alpha})a = 0$$
 for $i = 1,...,m_1$.

Furthermore, consider an i in $\{m_1 + 1, ..., m\}$ such that $g_1(\bar{x}, \bar{\alpha}) = 0$ and $\bar{\lambda}_1 > 0$. Then by (3.7), $\bar{\mu}_1 < 0$. Thus by Remark 3.5, $\bar{\lambda}_{11} = 0$, therefore:

$$Dg_{i}(\bar{x},\bar{\alpha})a = 0$$
.

Consequently, in the proof of Theorem 2.1, we can replace (3.10) by:

$$Dg_{\underline{i}}(\overline{x},\overline{\alpha})a = 0 \qquad \text{for } i = 1,...,m_{\underline{i}}$$

$$(3.11)$$

$$\overline{\lambda}_{\underline{i}}Dg_{\underline{i}}(\overline{x},\overline{\alpha})a = 0 \qquad \text{for all } i \text{ in } \{m_{\underline{i}} + 1,...,m\}$$
such that $g_{\underline{i}}(\overline{x},\overline{\alpha}) = 0$.

By Assumption (A.3 bis), we get a = 0. The rest of the proof is unchanged. This ends the proof of Theorem 2.2.

Proof of Corollary 2.3: By Robinson [1980], under Assumption (A.2), the system of equations (1.2) (respectively (1.3)) is a necessary condition for the solution of (1.1). Let $x(\cdot)$: $V_1 + U_1$ be the mapping defined in Theorem 2.1 (respectively 2.2). Then, for all α in V_1 , $x(\alpha)$ is the only candidate for a local minimum on U_1 , for problem (1.1).

To show that it corresponds in fact to a local minimum, we have to check that the sufficient conditions (A.3) (respectively (A.3 bis)) are satisfied in an open neighborhood of (\bar{x},\bar{a}) (see Robinson [1980] for a proof that (A.3) and (A.3 bis) are indeed sufficient conditions).

We prove it for (A.3), leaving the other similar case to the reader. Suppose on the contrary that for a sequence $\{(x^j,\alpha^j)\}$ converging to $(\bar{x},\bar{\alpha})$, (A.3) is violated at $(x^j,\alpha^j,\lambda(\alpha^j))$. There exists h^j in \mathbb{R}^k , $||h^j|| = 1$ such that $\langle \mathrm{Df}(x^j,\alpha^j),h^j\rangle = 0$ and $\langle (\mathrm{D}^2f(x^j,\alpha^j)+\sum_{i=1}^m \lambda_i(\alpha^i)\mathrm{D}^2g_i(x^j,\alpha^j))h^j,h^j\rangle \leq 0$ where $\lambda(\alpha)$ is the Lipschitzian function defined in Theorem 2.1. Since the h^j stay in a compact, there exists a converging subsequence towards \bar{h} . From the continuity assumptions, we have $\langle \mathrm{Df}(\bar{x},\bar{\alpha}),\bar{h}\rangle = 0$ and

$$\langle (D^2 \mathbf{f}(\bar{\mathbf{x}}, \bar{\alpha}) + \sum_{i=1}^{m} \lambda_i(\bar{\alpha}) D^2 \mathbf{g}_i(\bar{\mathbf{x}}, \bar{\alpha})) \bar{\mathbf{h}}, \bar{\mathbf{h}} \rangle \leq 0$$
.

Hence this contradicts Assumption (A.3). This ends the proof of Corollary 2.3.

References

- Aubin, J.P. [1981], "Lipschitz Behaviour of Solutions to Convex Minimization Problems," Working Paper, I.A.S.A.
- Auslender, A., "Theorem of Constant Rank for Lipschitzian Maps and Applications in Optimization Theory," Working Paper, Université de Clermont-Ferrand.
- Clarke, F. [1975], "Generalized Gradients and Applications," Transactions of the American Mathematical Society, 205, pp. 247-262.
- Clarke, F. [1976], "On the Inverse Function Theorem," <u>Pacific Journal</u> of Mathematics, 64:1, pp. 97-102.
- Cornet, B. and G. Laroque [1980], "Lipschitz Properties of Constrained Demand Functions and Constrained Maximizers," I.N.S.E.E. Working Paper 8005.
- Cornet, B. [1981], "Contributions à la Théorie des Mécanismes Dynamiques d'allocation des Ressources", thèse d'état, Université Paris IX Dauphine.
- Fiacco, A.V. and G.P. McCormick [1968], "Nonlinear Programming: Sequential Unconstrained Minimization Techniques," Wiley, New York.
- Fiacco, A.V. [1976], "Sensitivity Analysis for Nonlinear Programming Using Penalty Methods," Mathematical Programming, 10 pp. 287-311.
- Fiacco, A.V. and W.P. Hutzler [1982], "Basic Results in the Development of Sensitivity and Stability Analysis in Nonlinear Programming,"

 <u>Computation and Operation Research</u>, 9:1, pp. 9-28.
- Hiriart-Urruty, J.B. [1978], "Tangent Cones, Generalized Gradients and Mathematical Programming in Banach Spaces," Mathematics of Operations Research.
- Kojima, M. [1980], "Strongly Stable Stationary Solutions in Nonlinear Programs," Analysis and Computation of Fixed Points, ed. by S.M. Robinson, Academic Press.
- Levitin, E.S. [1975], "On the Local Perturbation Theory of a Problem of Mathematical Programming in a Panach Space," <u>Soviet Math. Dokl.</u>, 15, pp. 603-608.
- Robinson, S.M. [1974], "Perturbed Kuhn-Tucker Points and Rates of Convergence for a Class of Nonlinear Programming Algorithm,"

 Mathematical Programming, 7 pp. 1-16.

- Robinson, S.M. [1980], "Strongly Regular Generalized Equations," Mathematics of Operations Research, 5, 1, pp. 43-62.
- Robinson, S.M. [1980], "Generalized Equations and Their Solution, Part II: Applications to Nonlinear Programming," Cahiers au Ceremade 8006, Universite Paris IX Dauphine.
- Rockafellar, R.T. [1970], Convex Analysis, Princeton University Press.

REPORTS IN THIS SERIES

- The Structure and Stability of Competitive Dynamical Systems," by David Cass and Karl Shell.
 - "Memografiatic Competition and the Capital Martest," by J. E. Stigittz.
 - ration Tax," by J. E. Stiettez. Š
- ming Returns to Scale in the Aggregate and the Scale Effect of Public Goods," by David A. Starrett.
 - Monopoly, Quality, and Regulation," by Michael Spence.
- "A Note on the Budget Constraint to a Model of Borrowing," by Duncan K. Foley and Martin F. Hellwig. **黃玉荷高菜菜菜菜**
 - Incontitives, Rick, and Information: Notes Towards a Theory of Hierarchy," by Joseph E. Stightz.
- Asymptotic Expansions of the Distributions of Estimates in Simultaneous Equations for Alternative Parameter formances." by T. W. Anderson. ਭ
- idon of Lisear Pusctional Relationships: Approximate Distributions and Connections with Simultaneous es in Econometrics," by T. W. Anderson.
 - Monopoly and the Rate of Extraction of Exhaustible Resources," by Joseph E. Stigitiz.
 - Equilibrium in Compretitive Insurance Markets: An Easy on the Economics of Imperfact Information," by Schael Rothechild and Joseph Stiglitz. § ₹
- Strong Consistency of Leas Squeres Estimates in Normal Linear Repression," by T. W. Anderson and John B. Taylor. "Incressive Schemes under Differential Information Structures: An Application to Trade Policy," by Partha Dasgapta and Joseph Stiglics. Ĕ
 - The Incidence and Efficiency Effects of Taxes on Income from Capital," by John B. Showen. 73
- "Distribution of a Mantanum Liftetibood Estimate of a Stope Coefficient: The LIML Estimate for Known Covariance Manta;" by T. W. Anderson and Talamites Sava. ž
 - "A Comment on the Test of Overidentifying Restrictions," by Joseph B. Kadane and T. W. Anderson. 12 K
- "An Asymptotic Expansion of the Distribution of the Maximum Likelihood Estimate of the Stope Coefficient in a Linear Functional Relationship," by T. W. Anderson.
 - "Some Experimental Results on the Statistical Properties of Least Squares Estimates in Control Problems," by F. W. Anderson and John B. Taylor. 17.
 - "A Note os "Fulfilled Expectations" Equilibria," by Devid M. Kreps. 2
- Uncertainty and the Rate of Extraction under Alternative Institutional Arrangements," by Partha Dagupta and onesh E. Staffet. 2
- Budget Displacement Effects of Inflationary Finance," by Jerry Green and E. Sheshinski. ğ
 - Towards a Marxist Theory of Mosey," by Duncan K. Foley.
- The Existence of Fetures Merken, Noisy Rational Expectations and Informational Externalities," by Sanford Grossman
 - On the Efficiency of Competitive Stock Markets where Traders have Diverse Information," by Sanford Grossman.
 - "A Bidding Model of Perfect Competition," by Robert Wilson.
- A Byyesian Approach to the Production of Information and Learning by Doing." by Sanford J. Grossman, Richard E. Reletrons and Leonard J. Mirman.
 - **Disequilibrium Allocations and Recontracting," by Jean-Michel Grandmont, Guy Laroque and Yves Younes. "Agreeing to Disagree," by Robert J. Aumana. ĕ
- Maximum Likelibood and the Nonlinear Three Stage Least Squarts Estimator in the General Nonlinear Simultaneus ston Model," by Takashi Amemiya. ₹ **3**
 - The Modified Second Round Estimator is the Ceneral Qualitative Response Model," by Takeshi Ameritya. ₹ ₹
- The Bilinear Complementarity Problem and Competitive Equilibria of Linear Economic Models." by Robert Wilson. Some Theorems in the Linear Probability Model," by Takeshi Amemiya. <u>5</u>
 - Noncooperative Equilibrium Concepts for Objectoly Theory," by L. A. Gerard-Varet. 8
 - inflation and Costs of Price Adjustment," by Eytan Sheshinski and Yoram Weiss.
- Power and Taxes in a Multi-Commodity Economy," by R. J. Aumann and M. Kurz.
- Distortion of Preferences, Income Distirbution and the Case for a Linear Income Tax," by Mordecai Kurz.
 - learch Strategies for Nonresewable Resource Deposits," by Richard J. Gilbert.
- Demund for Fixed Factors, Inflation and Adjustment Costs," by Eytan Sheshinski and Yoram Weiss.
- Bergains and Ripoffs: A Model of Monopolistically Competitive Price Dispersions," by Steve Salop and Joseph Stigitiv
 - The Design of Tax Structure: Direct Versus Indirect Taxation by A. B. Arkinson and J. E. Stiglitz.
- Efficiency in the Optimum Supply of Public Goods," by Lawrence J. Lau, Eytan Sheshimski and Joseph E. Stiglitz. Market Allocations of Location Choice in a Model with Free Mobility," by David Starrett.
 - "Risk Sharing, Sharecropping and Uncertain Labor Markets," by David M. G. Newberry.
 - On Non-Waltesten Equilibria," by Frank Hahn.
- Quantity Constraints as Substitutes for Inoperative Markets: The Case of the Credit Markets," by Mordecul Kurz. "A Note on Electicity of Substitution Functions," by Lawrence J. Lau.
 - 'Incremental Consumer's Surplus and Hedonic Price Adjustment." by Robert D. Willig.

- "Optimal Depletion of an Uncertain Stock," by Richard Gilbert.
- Some Minimum Chi-Square Estimators and Comparisons of Normal and LogisticalNodels in Qualitative Response Naslysis," by Kunio Morinnas.
 - "A Characterization of the Optimality of Equilibrium in Incomplete Markets," by Sanford J. Gross
- "Inflation and Taxes in a Growing Economy with Debt and Equity Finance," by M. Feldstein, J. Green and E. Shedstnati.
 - "The Specification and Estimation of a Multivariate Logit Model," by Takethi Amenaya.
- Conditions for Strong Consistency of Least Squares Estimates in Linear Models," by T. W. Anderson and John B. Taylor Prices and Queues as Screening Devices in Competitive Markets," by Joseph E. Stightz.
 - "Utilitarianism and Morizontal Equity: The Case for Random Taxation," by Joseph E. Stiglitz.
- "Temporal Resolution of Uncertainty and Dynamic Choice Behavior," by David M. Kreps and Evan L. Porteus. "Simple Formulae for Optimal Income Texation and the Measurement of Inequality," by Juseph E. Stigitz.
- "The Estimation of Nonlinear Labor Supply Functions with Taxes from a Truncated Sumple," by Michael Hurd.
 - "The Welfare Implications of the Unemployment Rate," by Michael Hurd.
- "Keynesian Economics and Ceneral Equilibrium Theory: Reflections on Some Current Debates," by Frank Hahn.
 - "The Core of an Exchange Economy with Differential Information," by Robert Wilson. "A Competitive Model of Exchange," by Robert Wilson.
 - Intermediate Preferences and the Majority Rule," by Jean-Michel Grandmont.
- "The Fixed Price Equilibria: Some Results in Local Comparative Statics," by Guy Laroque.
- "On Stockholder Unanimity in Making Production and Financial Decisions," by Sanford J. Grossman and Joseph E. Stiglitz.
 - "A Note on A Random Coefficients Model," by Takethi Amemiya. Selection of Regressors," by Takeshi Amemiys.
 - 'A Note on a Heteroscedastic Model," by Takeshi Amemiya.
- Welfare Measurement for Local Public Finance," by David Starrett.
- "Unemployment Equilibrium with Rational Expectations," by W. P. Heller and R. M. Starr.
- "An Application of Stein's Methods to the Problem of Single Period Control of Regression Models," by Asad Zaman. "A Theory of Competitive Equilibrium in Stock Market Economies," by Sanford J. Grussman and Oliver D. Hart.

 - "Second Best Welfare Economics in the Mixed Economy," by David Starrett. "The Logic of the Fix-Price Method," by Jean-Michel Grandmont.
- "Tables of the Distribution of the Maximum Likelthood Estimate of the Slope Coefficient and Approximations," by I. W. Anderson and Takamisu Sawa.
 - "Further Results on the Informational Efficiency of Competitive Stock Markets," by Sanford Grossman. "The Estimation of a Simultaneous-Equation Tobit Model," by Takeshi Amemiya.
- "The Consistency of the Maximum Likelihood Estimator in a Disequilibrium Model," by T Amemiya and G. Scn. "The Estimation of a Simultaneous-Equation Generalized Probit Model," by Takeshi Amemiya.
- "Numerical Evaluation of the Exact and Approximate Distribution Functions of the Two-Singe Least Squares Estimate," by T. W. Anderson and Talamitsu Sawa.
 - Risk Measurement of Public Projects," by Robert Wilson.
- "On the Capitalization Hypothesis in Closed Communities," by David Starrett.
- "A Note on the Uniqueness of the Representation of Commodity-Augmenting Technical Change," by Lawrence J. Lau.
 - "The Property Rights Doctrine and Demand Revelation under Incomplete Information," by Kenneth J. Arrow.
 - "Optimal Capital Gains Taxation Under Limited Information," by Jerry R. Green and Eytan Sheshinski.
 - "Straightforward Individual Incentive Compatibility in Large Economies," by Peter J. Hammond
 - "On the Rate of Convergence of the Cure," by Robert J. Aumann.
- Existence Conditions for Aggregate Demand Functions: The Case of a Single Index," by Lawrence J. Lau. *Unsatisfactory Equilibria," by Frank Hahn.
- "Existence Conditions for Aggregate Demand Functions: The Case of Multiple Indexes," by Lawrence J. Latt.
 - "Linear Regression Using Both Temporally Aggregated and Temporally Disaggregated Data," by Cheng Hsiau. 'A Note on Exact Index Numbers," by Lawrence J. Lau.
- "The Existence of Economic Equilibria: Continuity and Mixed Strategies," by Partha Dasgupta and Eric Maskin.
- "A Complete Class Theorem for the Control Problem and Further Results on Admissibility and Inadmissibility," by Asad Zaman.
 - Measure-Based Values of Market Games," by Sergiu Hart.
- "A Representation Theorem for "Preference for Flexibility"," by David M. Kreps.
 - "Altruism as an Outcome of Social Interaction," by Mordecai Kurz.
- The Existence of Efficient and Inventive Compatible Equilibria with Public Goods," by Thoudore Groves and John O. Ledyard.
- "Efficient Collective Choice with Compensation," by Theodore Groves.
- "On the Imposability of informationally Efficient Markets," by Sanford J. Grossman and Joseph E. Stightz.

REPORTS IN THE SERIES

"Valess for Games Without Stelpsyments: Some Difficultus With Current Counges," by Abris E. Roth. "Maninghs and the Valenties of Bedwedent Amers," by J. Michael Harrison and David M. Kopps.

athe Modelling and Memory – Income Camally Detection," by Cheeg Huge. one Error in a Dynamic Mandageness Equations Medial without Sastonery Datestances," by Cheeg Histor. ANNERSKANSKE EKK

ught Lon Breuned." by W. E. Dawers.

The Businity of Decemb Net Supply and a Generalized La Charleiar Princytal," by W. E. Dervert.
Thouse Distribution and Distortion of Performent the E. Community Case," by Mondecal Kurr.
The n.²-Childre Mana Separat Error of the Maximum Likelihood and the Minemum Logic Chi-Square Extinston," by Taleshi Amemya.

Temporal Von Neumann Magnaners and Induced Performant. The Part M. Kreps and Kwa L. Portens.

"Tabe-One that and the Theory of the Components." by Sandred Gooman and Other D. Mar.

"The Namental Values of Some Kay Passaciers as Leconomics in Maders." by T. W. Anderson, Kimss Mocimum and Talgamist Sans.

"Two Superconstitutes of Information Structures and their Components." by T. W. Anderson, Kimss Mocimum and Talgamist Sans.

"Two Supercons Expansions of the Desirbeismum of Estimation in a Lames? Furry Green and Namy Studey.

Newson Embrana.

Public George and Power," by R. J. Aumenta, M. Kurz and A. Neymen.

"An Assession Approach to the Efficiency of Non-Cooperator Equiphrium is Economies with a Continuoum of Traden," by A. Mas-Cubell School of the Last Destributes of Assession of the Lamood Information Maximum Likelihood Estimator when the Corptinuor Matter in Known, "by T. W. Anderson and Thamston Stee.

steve Medeling of Canadian Menny and Income Date," by Cheng Heisu

"No Cas's Diagnos Foures;" by John D. Gamelauphes and Hendins Polemarchidas.
"Constrained Excra Demand Functions," by Hendas M. Polemarchada.
"On the Depresso Selection of North Equilibrase," by Aktos Tomista.

althrium Evonometrics in Simultageous Equations Systems," by C. Gourierous, J. J. Laffont and A. Monfotti.

"Deality Appearation to Mattoo consum. Theory," by W. E. Derwer. "A Time Series Analysis of the Impact of Canadam Wage and Price Controls," by Cheng Histo and Obsersaryo Faltyda

"A Strangic Theory of Inflitton," by Mordecal Kurz.
"A Chancetesiation of Voctor Measure Games in pNA." by Yast Taumen.

"On the Method of Tassine and the Provision of Local Pablic Goods," by David A. Serrett. "An Optimization Problem Artsing in Economics: Approximate Solutions, Limently, and a Law of Large Munbers." by Sergim Meri

*Asymptotic Expansions of the Dastibutions of the Estimates of Coefficients in a Sandianeous Equation System," by Yaumori Projective, Windian Bernard Relation System, "by Yaumori Topicand & Voluntary International Particles and Missache Language."

*Asymptotic Values of Missach Comm." by Abraham Neymen.

*Asymptotic Values of Missach Comm."

Thise Series Modelling and Count Ordering of Canadina Motory, Jacome and Interest Rate," by Cheng Hoise.
"An Analysis of Foreir in Evolunge Economies," by Martin J. Otherin.
"Estimation of the Besignood of a Normal Missa," by Asad Zaman.

Tengrowing the Maximum Liberhood Estimate in Linear 5 was tough Relationships for Alternative Parameter Sequences," by Komio Sociences and Moto Komiotho.

"Catabation of Brevine Normal Integrals by the Use of Incomplete Negative-Order Moments," by Ker Taleuchs and Atsmicht Talemus. "On Particularing of a Sample with Binary-Type Questions in Lieu of Collecting Observations," by Kenneth J. Arrow. Leve Presidently and Bishos Sobel.

The Two Stages Least Absolute Deviations Estimators," by Takeshi Ameringa.

"These Emers on Capital Markers," by David M. Krops. "Infinite Horison Programs," by Michael J. P. Magill.

mes and Social Loy-Libelihood Maxima," by Peter Couphlin and Shimsel Nitzan. Notes on Social Choice and Voting," by Peter Coughlin.

Overlapping Expectations and Harl's Cuaditions for Equalibrium in a Securities Model," by Peter J. Hammond.

"Den tomal and Local Electorate Competitions with Probabilistic Voting," by Peter Coughlin and Shmiel Mitsa. Adaptente: Espainand in Destributions of the Test Stetlet's for Destrüctlifying Restrictions in a System of Simultaneous Agamelous, "by Kamiston, Benjames, and Talkaba. ** ********

The unspine Markets and the Observability of Risk Preference Properties," by H. H. Delemachabis and L. Selden. "Mategoring Securities and the Efficient Allecation of Risk: A Commont on the Black-Scholer Option Pricing Model," by David M. Kings.

-Asymptonic Fraumbons of the Distributions of B-Class Estimativs when the Disturbanies are Small." by Natur Sunktomo Knew Mortanese, and Vonkinka Tsukada. 2

Arbeirage and Equalibrium in Economies with Intinstely Many Commodities," by David M. Kraps. **8** 8 8

Usamployment Equilibrium is an Fousiumy with Linked Phoch." by Monderal Kerz. "Earto Optimal Made Equilibria are Competitive in a Reposted Economy." by Mondece Kerz and Sergiu Mari.

Identification," by Cheng Helso. 312.

"An Introduction to Two-Person Zero Sum Repeated Games with Incomplete Information," by Sylvain Sorin.

"Estimation of Dynamic Models with Error Components," by T. W. Anderson and Cheng Histo.
"On Robust Estimation in Certainty Equivalence Control," by Anders H. Westlund and Hans Stentund. "On Industry Equilibrium Under Uncertainty," by J. Dreze and E. Sheshinski.

"Cost Benefit Analysis and Project Evaluation from the Viewpoint of Productive Efficiency," by W. E. Diewert. "On the Chain-Store Paradox and Predation: Reputation for Toughness," by D. M. Kreps and Robert Wilson "On the Number of Commodities Required to Represent a Market Games," Sergiu Hart.

"Evaluation of the Distribution Function of the Limited Information Maximum Likelihood Estimator," by T. W. Anderson, Neoto Kantiomo, and Takamitra Seva.

"A Comparison of the Logit Model and Normal Discriminant Analysis when the Independent Variables are Binary," by Takesis Assensiya and Jesses L. Powell.

"Efficiency of Resource Allocation by Uninformed Demand," by Theodore Groves and Sergiu Hart.

"A Comparison of the Box-Cox Maximum Likelihood Estimator and the Nonlinear Two Stage Least Squares Estimator," by Takeshi Ameriya and James L. Powell.

"Comparison of the Denative of the TSLS and LIMLK Estimaton for Simultaneous Equations," by T. W. Anderson, Note Kustome, and Takassitus Seva. 323.

"Admissibility of the Bayes Procedure Corresponding to the Uniform Prior Distribution for the Coatrol Problem in Fow Dimensions but Not in Five," by Charles Stein and Asad Zaman. 324

"Some Recent Developments on the Distributions of Single-Equation Estimators," by T. W. Anderson. 326. 326.

On Inflation," by Frank Haha.

Two Papers on Majority Rule: "Constantly Properties of Majority Rule with Intermediate Preferences," by Peter Couplin and Kare-Th List, and "Exercised Outcomes with Probabilistic Voling and Nath Social Welfare Maxima," by Peter Couplin and Samuel Nitza.

"On the Endogenous Formation of Coalitions," by Sergiu Hart and Mordecai Kurz.

"Controllability, Pecuniary Externalities and Optimal Taxation," by David Starrett.

"Nonlinear Regression Models," by Takeshi Amemiya.

Paradoxical Results from Inada's Conditions for Majority Rule," by Herve Raynaud.

On Welfare Economics with Incomplete Information and the Social Value of Public Information," by Peter J. Hammond. "Equilibrium Policy Proposals with Abstentions," by Peter J. Coughlin.

"Infinite Excessive and Invariant Measures," by Michael I. Taksar.
"The Life-Cycle Hypothesis and the Effects of Social Security and Private Pensions on Family Savings," by Mordecai Kurz.
"Optimal Retirement Age," by Mordecai Kurz.

"Bayesian Incensive Compatible Beliefs," by Claude d'Aspremont and Louis-Andre Gerard-Varet.
"Qualitative Response Models: A Survey," by Takeshi Amersiya.

The Social Costs of Monopoly and Regulation: A Came Theoretic Analysis," by William P. Rogerson.

Sequential Equilibria," by David M. Kreps and Robert Wilson.

"Enhancing of Semigroups," by Michael I. Taksar. "Formulation and Estimation of Dynamic Models Using Panel Dats," by T. W. Anderson and Cheng Histo.

Ex-Post Optimality as a Dynamically Consistent Objective for Collective Choice Under Undertainty," by Peter Hammond

Three Lectures in Monetary Theory," by Frank H. Hahn.

"Socially Optimal Investment Rules in the Presence of Incomplete Markets and Other Second Beet Distortions," by Frath Miles and Devid A. Starrett.

'Approximate Putification of Mixed Strategies," by Robert Aumann, Ylizhak Katznelton, Roy Radner, Robert W. Rosenthal, and Benjamin Weisa. ¥6.

Conditions for Transistivity of Majority Rule with Algorithmic Interpretations," by Herve Raynaud.

"How Restrictive Actually are the Value Restriction Conditions," by Herre Raynaud.

"Courso! Duopody in the Styte of Fulfilled Expectations Equitibium," by William Novahek and Hugh Sonnenscheim

"Law of Large Numbers for Random Sets and Allocation Processes," by Zvi Artstein and Sergiu Hart.

"Risk Perception in Psychology and Economics," by Kenneth J. Arrow.

Shrunken Predictors for Autoregressive Models," by Taku Yamamoto.

Predation, Reputation, and Entry Deterrence," by Paul Milgrom and John Roberts.

Social and Private Production Objectives in the Sequence Economy," by David Starrett

"Least Absolute Deviations Estimation for Censored and Truncated Regression Models," by James Powell.

Recursive Rational Choice," by Alain Lewis.

"Relatively Recursive Rational Choice," by Alain Lewis.

"A Theory of Auctions and Competitive Bidding." by Paul Milgrom and Robert Weber.

'Facing an Uncertain Future," by W. M. Gorman

The Individual Freedom Allowed by the Value Restriction Condition," by Herve Raynmad.

"Incomplete Resource Allocation Mechanisms," by P. J. Hammond.

"The Computative Dynamics of Efficient Programs of Capital Accumulation and Resource Depletion," by W. E. Diewent and T. R. Lewis.

"Optimum Pricing Policy Under Stochastic Inflation," by E. Sheshinski and Y. Weiss. 36.36

"Capital Accumulation and the Characteristics of Private Intergenerational Transfers," by M. Kurz.

*Asymptotic Efficiency and Higher Order Efficiency of the Limited Information Maximum Likelihood Estimator in Large Econometric Models," by N. Kunitomo.

"Semi-Values of Political Economic Games," by A. Neyman.

"Non-Zero-Sum Two-Person Repeated Cames with Incomplete Information," by S. Hart.

Partially Ceneralized Least Squares and Two-Stage Least Squares and Two-Stage Least Squares Estimators," by T. Amentrya 36.7 36.9

'Lipschitz Properties of Solution in Mathematical Programming," by B. Cornet and G. Laroque.